



BS EN 14351 - 1:2006+A1:2010
WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE
TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

DECLARATION OF CONFORMITY

THIS IS TO CERTIFY THAT

SUPERIOR GLASS LTD

DESIGN HOUSE, UNIT 1 BELL LANE

BELLBROOK INDUSTRIAL ESTATE

UCKFIELD

TN22 1QL

HAVE CONFORMED TO EN 14351-1:A1:2010 ANNEX ZA

FOR

VERTICAL SIDING, TILT & TURN, CASEMENT WINDOWS AND DOORS
INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS

BY

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING
WITH EN 14351-1:A1:2010 ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND PERFORMANCE
INDICATION PAPERS FOR ALL COMPONENTS

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS
LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8
THERMAL CHARACTERISTICS - Clause 4.12
DANGEROUS SUBSTANCES - Clause 4.6

SIGNED

M W M

DATE

24.6.13

POSITION

DIRECTOR



SUPERIOR GLASS LTD
DESIGN HOUSE, UNIT 1 BELL LANE
BELLBROOK INDUSTRIAL ESTATE
UCKFIELD
TN22 1QL

EN 14351-1:A1:2010

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

System: Metal Windows & Doors with no Thermal Break

<u>Characteristics</u>	Declared Value
Dangerous Substances	None
Thermal Transmittance	$\leq 4.1W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Water tightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	npd

SIGNED

M WM

DATE 24.6.13

POSITION

DIRECTOR



SUPERIOR GLASS LTD
DESIGNER HOUSE , 1BELL LANE
BELLBROOK INDUSTRIAL ESTATE
UCKFIELD
TN22 1QL

EN 14351-1:A1:2010

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

System: : PVCu or Timber Windows and Doors

<u>Characteristics</u>	Declared Value
Dangerous Substances	None
Thermal Transmittance	$\leq 3.2W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Water tightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	$\leq 1.0W/(m^2K)$

SIGNED

M WM

DATE

24.6.13

POSITION

DIRECTOR



SUPERIOR GLASS LTD

UCKFIELD'S LONGEST ESTABLISHED GLASS & WINDOW COMPANY

**Suppliers and installers of replacement
doors, windows and conservatories**

Telephone: 01825 764766 Fax: 01825 767699

Email: info@superiorglass.co.uk Web: www.superiorglass.co.uk

RE: EN 14351-1 4.6 DANGEROUS SUBSTANCES DECLARATION

Superior Glass Ltd confirms that our manufactured products are not liable to emission or migration of dangerous substances, which could constitute a hazard to health, hygiene or the environment, during the performance of their normal intended use.

Yours faithfully,

Checkatrade.com
Where reputation matters



HomePro
Insurance

FENSA
Registered Company



SUPERIOR GLASS LTD

UCKFIELD'S LONGEST ESTABLISHED GLASS & WINDOW COMPANY

**Suppliers and installers of replacement
doors, windows and conservatories**

Telephone: 01825 764766 Fax: 01825 767699

Email: info@superiorglass.co.uk Web: www.superiorglass.co.uk

**ALTERNATIVE IMPROVED THERMAL
PERFORMANCE & "U" VALUES ARE
AVAILABLE BY REFERRING TO THE SPECIFIC
VALIDATED SIMULATION OR TEST REPORT**

Checkatrade.com
Where reputation matters



HomePro
Insurance

FENSA
Registered Company

Design House, Unit 1 Bell Lane, Bellbrook Industrial Estate, Uckfield, East Sussex, TN22 1QL
Superior Glass Limited Director: M. A. Wren Registration No. 4695586 VAT No. 583 8133 21